Implementation date and additional rounds 2006, 2008, 2009, 2010, 2012, 2013 and 2014.

Tobacco products package coverage and location

Graphic health warnings are required to cover the bottom 80% of the front and 80% of the back of the package. Overall, 80% of the package space is allocated to health warnings.

Misleading information

Misleading descriptors which can include terms such as 'light,' 'low in tar,' and 'mild,' color coded gradations, more than one presentation per brand family, and figures for emission yields (including tar, nicotine, and carbon monoxide) are prohibited from appearing on packages.

Constituents and emissions information

A single message is required to display qualitative (descriptive) constituents and emissions information on one lateral side.

Special notes

Legislation applies to all tobacco products (combusted and smokeless) without specifying the content of the warnings for each type of tobacco.

Rotation schedule, history, language, and help for smoking cessation

Uruguay has produced seven rounds of graphic health warning labels:

Round (Year)	Number	Size (%) [average— front/back]
R1 (2006)	8	50 — 50/50
R2 (2008)	3 pairs	50 — 50/50
R3 (2009)	5 pairs	50 — 50/50
R4 (2010)	6	80— 80/80
R5 (2012)	2	80 — 80/80
R6 (2013)	4 pairs	80 — 80/80
R7 (2014)	4	80 — 80/80

Warnings within each round are required to be rotated for a period of 12 months. Since Round 4 in 2010, the size of the warnings increased from 50 to 80% of the principal display area. Warning texts must be in Spanish, the principal language of the country. A quitline phone number and government-sponsored website are required to be displayed on the package.

WARNINGS: 2014







FUMAR CAUSA
IMPOTENCIA

Fumar te condiciona la vida

WARNINGS: 2013



También se enferman de tabaquismo las personas que no fuman, porque respiran sustancias tóxicas que provocan infecciones respiratorias y asma, entre otros.






Las personas enfermas de tabaquismo envejecen prematuramente y deterioran su calidad de vida. Algunos de los sintomas que padecen son-bronguitis crónica. enfisemas pulmonares. EPOC, gastritis, úlceras, impotencia e infertilidad.













El daño que cada cigarrillo produce es irreparable y casi siempre, invisible.

Las personas enfermas de tabaquismo tienen disminuidos los sentidos del gusto y el olífato, y su salud bucal deteriorada. Además, tienen más riesgos de suffir enfermedades coronarias y accidentes cardiovasculares.




www.puedodejar.com 0800 HUM0

WARNINGS: 2012






WARNINGS: 2010













WARNINGS: 2009



Los niños imitan a los mayores. Los hijos de fumadores tienen muchas más posibilidades de convertirse en adictos al cigarrillo.

Pensalo

Podemos ayudarte 08004444 M.S.P.



Fumar o exponerse al humo de tabaco durante el embarazo puede provocar bebés prematuros, de bajo peso, con predisposición a problemas respiratorios y muerte súbita.

Pensalo

Podemos ayudarte 08004444 M.S.P.



Los cigarrillos contienen más de 4.000 sustancias tóxicas, entre ellas arsénico y naftalina, utilizadas en veneno para ratas y cucarachas.

Pensalo

Podemos ayudarte 08004444 M.S.P.




El cigarrillo puede causar cáncer de boca, faringe, laringe, esófago, pulmón y riñón, además de infartos coronarios y cerebro-vasculares.

Pensalo

Podemos ayudarte 08004444 M.S.P.

URUGUAY AMERICAS REGION

WARNINGS: 2009



El cigarrillo causa
mal aliento, pérdida total
o parcial de dientes
y diversos tipos de cáncer
en boca y garganta.

Pensalo

Podemos ayudarte 08004444 M.S.P.

WARNINGS: 2008













WARNINGS: 2006















